



GMP APC anti-human CD33 Antibody

Catalog# / Size 260186 / 100 tests

 Clone
 WM53

 Workshop
 IV M-505

Other Names Siglec-3, gp67, p67

Isotype Mouse IgG1, κ

Description CD33 is a 67 kD type I transmembrane glycoprotein also known as Siglec-3, gp67, and p67. It

is a sialoadhesion immunoglobulin superfamily member expressed on myeloid progenitors, monocytes, granulocytes, dendritic cells and mast cells. CD33 is absent on normal platelets, lymphocytes, erythrocytes and hematopoietic stem cells. CD33 functions as a sialic acid-

dependent cell adhesion molecule with carbohydrate/lectin binding activity.

Product Details

Reactivity Human

Antibody Type Monoclonal

Host Species Mouse

Immunogen Human myeloid leukaemia cells.

Formulation Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and 0.2% (w/v) BSA (origin

USA).

Preparation The antibody was purified by affinity chromatography and conjugated with APC under optimal

conditions.

Concentration 50 µg/mL

Storage & Handling The antibody solution should be stored undiluted between 2°C and 8°C, and protected from

prolonged exposure to light. Do not freeze.

Application FC - Quality tested

Recommended Usage Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric

<u>analysis</u>. For flow cytometric staining, the suggested use of this reagent is 5 μ L per million cells in 100 μ L staining volume or 5 μ L per 100 μ L of whole blood. It is recommended that the reagent be

titrated for optimal performance for each application.

Excitation Laser Red Laser (633 nm)

Application Notes Additional reported applications (for the relevant formats) include: immunoprecipitation, Western

blotting³, induction of cytokine production³, and immunofluorescence⁴. The Ultra-LEAF™ purified antibody (Endotoxin < 0.01 EU/µg, Azide-Free, 0.2 µm filtered) is recommended for functional

assays (Cat. Nos. 303437 & 303438).

Application References

1. Knapp W, et al. 1989. Leucocyte Typing IV. Oxford University Press. New York.

(PubMed link indicates BioLegend citation)

Favaloro E, et al. 1988. Br. J. Haematol. 69:163.
 Garnache-Ottou F, et al. 2005. Blood 105:1256. (WB)

4. Pèrez-Oliva AB, et al. 2011. Glycobiology. 21:757. (epitope, FC, IF)

Disclaimer

GMP RUO Flow Cytometry Antibodies. BioLegend GMP RUO fluorophore conjugated antibodies are manufactured in a dedicated GMP facility and compliant with ISO 13485:2016. For research use only. Not for use in diagnostic or therapeutic procedures. Our processes include:

- Batch-to-batch consistency
- Material traceability
- Documented procedures
- Documented employee training
- · Equipment maintenance and monitoring records

- · Lot-specific certificates of analysis
- Quality audits per ISO 13485:2016
- QA review of released products

Antigen Details

Structure Ig superfamily, sialoadhesins, type I glycoprotein, 67 kD

Distribution Myeloid progenitor, monocytes, granulocytes, dendritic cells, mast cells

Function Adhesion and lectin activity

Ligand/Receptor Sugar chains containing sialic acid

Cell Type B cells, Dendritic cells, Granulocytes, Hematopoietic stem and progenitors, Mast cells,

Monocytes, Neutrophils

Biology Area Cell Biology, Immunology, Neuroinflammation, Neuroscience

Molecular Family CD Molecules, Siglec Molecules

Antigen References 1. Favaloro E, et al. 1988. Br. J. Haematol. 69:163.

2. Freeman S, et al. 1995. Blood 85:2005.

Gene ID 945


Related Protocols

Cell Surface Flow Cytometry Staining Protocol

Other Formats

APC anti-human CD33, PE anti-human CD33, PE/Cyanine5 anti-human CD33, Purified anti-human CD33, PerCP/Cyanine5.5 anti-human CD33, Brilliant Violet 711™ anti-human CD33, Brilliant Violet 421™ anti-human CD33, Brilliant Violet 570™ anti-human CD33, Brilliant Violet 510™ anti-human CD33, Brilliant Violet 510™ anti-human CD33, Brilliant Violet 650™ anti-human CD33, Brilliant Violet 650™ anti-human CD33, PE/Cyanine7 anti-human CD33, PE/Dazzle™ 594 anti-human CD33, Alexa Fluor® 700 anti-human CD33, Ultra-LEAF™ Purified anti-human CD33, APC/Fire™ 750 anti-human CD33, APC/Cyanine7 anti-human CD33, GMP PerCP/Cyanine5.5 anti-human CD33, Alexa Fluor® 647 anti-human CD33

Product Data



Typical results from human peripheral blood monocytes stained either with WM53 APC used at 5 µL/test (filled histogram) or with an isotype control (open histogram).

For research use only. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587