

PE/Dazzle™ 594 anti-human CD44 Antibody

Catalog# / Size	338821 / 25 tests 338822 / 100 tests
Clone	BJ18
Regulatory Status	RUO
Workshop	VI A034
Other Names	Hermes, Pgp-1, H-CAM, HUTCH-1, ECMR III, gp85, Ly-24
Isotype	Mouse IgG1, κ
Description	CD44 is a 80-95 kD glycoprotein also known as Hermes, Pgp1, H-CAM, or HUTCH. It is expressed on all leukocytes, endothelial cells, hepatocytes, and mesenchymal cells. As B and T cells become activated or progress to the memory stage, CD44 expression increases from a low or mid level of intensity to high expression levels. Thus, CD44 has been reported to be a valuable marker for memory cell subsets. CD44 is an adhesion molecule involved in leukocyte attachment to and rolling on endothelial cells, homing to peripheral lymphoid organs and to the sites of inflammation, and leukocyte aggregation.

Product Details

Reactivity	Human, African Green, Baboon, Cynomolgus, Rhesus
Antibody Type	Monoclonal
Host Species	Mouse
Immunogen	Normal human PBL
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and 0.2% (w/v) BSA (origin USA).
Preparation	The antibody was purified by affinity chromatography and conjugated with PE/Dazzle™ 594 under optimal conditions.
Concentration	Lot-specific (to obtain lot-specific concentration, please enter the lot number in our Concentration and Expiration Lookup or Certificate of Analysis online tools.)
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. Do not freeze.
Application	FC - Quality tested
Recommended Usage	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis . For flow cytometric staining, the suggested use of this reagent is 5 µl per million cells in 100 µl staining volume or 5 µl per 100 µl of whole blood. * PE/Dazzle™ 594 has a maximum excitation of 566 nm and a maximum emission of 610 nm.
Excitation Laser	Blue Laser (488 nm) Green Laser (532 nm)/Yellow-Green Laser (561 nm)
Application References	1. Kishimoto T, <i>et al.</i> eds. 1997 <i>Leucocyte Typing VI: White Cell Differentiation Antigen</i> . Garland Publishing Inc.
(PubMed link indicates BioLegend citation)	
RRID	AB_2716031 (BioLegend Cat. No. 338821) AB_2716032 (BioLegend Cat. No. 338822)

Antigen Details

Structure	Variable splicing of CD44 gene generates many CD44 isoforms, 85 kD
Distribution	All leukocytes, epithelial cells, endothelial cells, hepatocytes, mesenchymal cells
Function	Leukocyte attachment and rolling on endothelial cells, stromal cells and ECM
Ligand/Receptor	Hyaluronan, MIP-1 β , fibronectin, collagen
Cell Type	Endothelial cells, Epithelial cells, Leukocytes, Mesenchymal cells, Mesenchymal Stem Cells, Tregs
Biology Area	Cell Adhesion, Cell Biology, Immunology, Stem Cells
Molecular Family	Adhesion Molecules, CD Molecules
Antigen References	<ol style="list-style-type: none"> 1. Barclay AN, <i>et al.</i> 1997. The Leukocyte Antigen FactsBook Academic Press. 2. Haynes BF, <i>et al.</i> 1991. <i>Cancer Cells</i> 3:347. 3. Goldstein LA, <i>et al.</i> 1989. <i>Cell</i> 56:1063. 4. Mikecz K, <i>et al.</i> 1995. <i>Nat. Med.</i> 1:558.
Gene ID	960


Related Protocols

[Cell Surface Flow Cytometry Staining Protocol](#)

Other Formats

Purified anti-human CD44, FITC anti-human CD44, APC anti-human CD44, PE anti-human CD44, Brilliant Violet 421™ anti-human CD44, Purified anti-human CD44 (Maxpar® Ready), Alexa Fluor® 700 anti-human CD44, PE/Dazzle™ 594 anti-human CD44, PE/Cyanine7 anti-human CD44, APC/Fire™ 750 anti-human CD44, PerCP/Cyanine5.5 anti-human CD44, Pacific Blue™ anti-human CD44, TotalSeq™-A0125 anti-human CD44, TotalSeq™-C0125 anti-human CD44, Alexa Fluor® 488 anti-human CD44, Brilliant Violet 785™ anti-human CD44, TotalSeq™-B0125 anti-human CD44 Antibody, TotalSeq™-D0125 anti-human CD44

Product Data



Human peripheral blood lymphocytes were stained with CD44 (clone BJ18) PE/Dazzle™ 594 (filled histogram) or mouse IgG1, κ PE/Dazzle™ 594 isotype control (open histogram).

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587