

Alexa Fluor® 647 anti-human CD86 Antibody

Catalog# / Size	305415 / 25 tests 305416 / 100 tests
Clone	IT2.2
Regulatory Status	RUO
Workshop	VI CD86.8
Other Names	B7-2, B70
Isotype	Mouse IgG2b, κ
Description	CD86 is an 80 kD immunoglobulin superfamily member also known as B7-2, B70, and Ly-58. CD86 is expressed on activated B and T cells, monocytes/macrophages, dendritic cells, and astrocytes. CD86, along with CD80, is the ligand of CD28 and CD152 (CTLA-4). CD86 is expressed earlier in the immune response than CD80. CD86 has also been shown to be involved in immunoglobulin class-switching and triggering of NK cell-mediated cytotoxicity. CD86 binds to CD28 to transduce costimulatory signals for T cell activation, proliferation, and cytokine production. CD86 can bind to CD152 as well, also known as CTLA-4, to deliver an inhibitory signal to T cells.

Product Details

Verified Reactivity	Human, Cynomolgus, Rhesus
Reported Reactivity	African Green, Baboon, Capuchin Monkey, Common Marmoset, Cotton-topped Tamarin, Chimpanzee
Antibody Type	Monoclonal
Host Species	Mouse
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and BSA (origin USA)
Preparation	The antibody was purified by affinity chromatography and conjugated with Alexa Fluor® 647 under optimal conditions.
Concentration	Lot-specific (to obtain lot-specific concentration, please enter the lot number in our Concentration and Expiration Lookup or Certificate of Analysis online tools.)
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. Do not freeze.
Application	FC - Quality tested
Recommended Usage	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis . For flow cytometric staining, the suggested use of this reagent is 5 µl per million cells in 100 µl staining volume or 5 µl per 100 µl of whole blood. * Alexa Fluor® 647 has a maximum emission of 668 nm when it is excited at 633nm / 635nm. Alexa Fluor® and Pacific Blue™ are trademarks of Life Technologies Corporation. View full statement regarding label licenses
Excitation Laser	Red Laser (633 nm)
Application Notes	Additional reported applications (for the relevant formats) include: immunohistochemical staining of acetone-fixed frozen tissue sections ⁶ , Western blotting ³ , and blocking of T cell activation ^{2,4,5} . The Ultra-LEAF™ purified antibody (Endotoxin < 0.01 EU/µg, Azide-Free, 0.2 µm filtered) is recommended for functional assays (Cat. Nos. 305449 & 305450).
Application References	1. Kishimoto T, <i>et al.</i> Eds. 1997. Leucocyte Typing VI. Garland Publishing Inc. London. 2. Dieu M. 1998. <i>J. Exp. Med.</i> 188:373. (Block)
(PubMed link indicates	

BioLegend citation) 3. Esser M, *et al.* 2001. *J. Virol.* 75:6173. (WB)
4. Jeannin P, *et al.* 1999. *J. Immunol.* 162:2044. (Block)
5. Kapsogeorgou EK, *et al.* 2001. *J. Immunol.* 166:3107. (Block)
6. Geissmann F, *et al.* 2001. *Blood* 97:1241. (IHC)

Product Citations
1. Azeem W, *et al.* 2020. *Front Immunol.* 11:438. [PubMed](#)
2. Parackova Z, *et al.* 2020. *Sci Rep.* 0.759027778. [PubMed](#)
3. Chen Y, *et al.* 2011. *J Leukoc Biol.* 89:965. [PubMed](#)

RRID AB_528882 (BioLegend Cat. No. 305415)
AB_528883 (BioLegend Cat. No. 305416)

Antigen Details

Structure Ig superfamily, single-chain transmembrane glycoprotein, 80 kD
Distribution Monocytes/macrophages, activated B cells and T cells, dendritic cells
Function T cell costimulation
Ligand/Receptor CD28, CD152
Cell Type B cells, Dendritic cells, Macrophages, Monocytes, T cells, Tregs
Biology Area Cell Biology, Costimulatory Molecules, Immunology, Neuroscience, Neuroscience Cell Markers
Molecular Family CD Molecules, Immune Checkpoint Receptors
Antigen References 1. Hathcock K, *et al.* 1996. *Adv. Immunol.* 62:131.
2. June C, *et al.* 1994. *Immunol. Today* 15:321.
Gene ID [942](#)


Related Protocols

[Cell Surface Flow Cytometry Staining Protocol](#)

Other Formats

Biotin anti-human CD86, PE anti-human CD86, PE/Cyanine5 anti-human CD86, Purified anti-human CD86, APC anti-human CD86, Alexa Fluor® 488 anti-human CD86, Alexa Fluor® 647 anti-human CD86, Pacific Blue™ anti-human CD86, PE/Cyanine7 anti-human CD86, PerCP/Cyanine5.5 anti-human CD86, Brilliant Violet 421™ anti-human CD86, Brilliant Violet 650™ anti-human CD86, Brilliant Violet 605™ anti-human CD86, Brilliant Violet 510™ anti-human CD86, PE/Dazzle™ 594 anti-human CD86, Purified anti-human CD86 (Maxpar® Ready), Brilliant Violet 711™ anti-human CD86, Brilliant Violet 785™ anti-human CD86, TotalSeq™-A0006 anti-human CD86, TotalSeq™-B0006 anti-human CD86, TotalSeq™-C0006 anti-human CD86, Ultra-LEAF™ Purified anti-human CD86, KIRAVIA Blue 520™ anti-human CD86, TotalSeq™-D0006 anti-human CD86, PE/Fire™ 810 anti-human CD86, PE/Fire™ 640 anti-human CD86

Product Data



Human peripheral blood monocytes stained with IT2.2 Alexa Fluor® 647

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587