

## HRP anti-human $\beta$ 2-microglobulin Antibody

<b>Catalog# / Size</b>	280303 / 50 $\mu$ g
<b>Clone</b>	2M2
<b>Regulatory Status</b>	RUO
<b>Other Names</b>	$\beta$ 2M, $\beta$ 2-M, beta2-microglobulin b2-M, b2M
<b>Isotype</b>	Mouse IgG1, $\kappa$
<b>Description</b>	$\beta$ 2-microglobulin ( $\beta$ 2M) is a 12 kD nonpolymorphic Ig like protein. It is a non-membrane-anchored glycoprotein and is noncovalently associated with 39-44 kD polymorphic heavy chains of MHC class I molecules to form HLA class I antigen complex. In association with HLA class I, $\beta$ 2M is expressed on all leukocytes, platelets, endothelial cells, and epithelial cells. $\beta$ 2M plays an essential role both in governing MHC class I molecules stability and in promoting antigen binding and presenting the antigen to CD3/TCR complex of CD8 <sup>+</sup> T cells.

### Product Details

---

<b>Verified Reactivity</b>	Human
<b>Reported Reactivity</b>	African Green, Baboon, Cynomolgus, Rhesus, Pig
<b>Antibody Type</b>	Monoclonal
<b>Host Species</b>	Mouse
<b>Immunogen</b>	Purified human $\beta$ 2-microglobulin
<b>Formulation</b>	This antibody is provided in 50% glycerol in aqueous buffered solutions with preservatives.
<b>Preparation</b>	The antibody was purified by affinity chromatography and conjugated with HRP under optimal conditions.
<b>Concentration</b>	0.2 mg/ml
<b>Storage &amp; Handling</b>	Upon receipt, the antibody solution should be stored undiluted at -20°C, and protected from prolonged exposure to light.
<b>Application</b>	<a href="#">ELISA Detection - Quality tested</a> <a href="#">FC - Verified</a>
<b>Recommended Usage</b>	Dilute 18 $\mu$ l of HRP anti-human $\beta$ 2-microglobulin antibody in 12 ml of assay dilution buffer. This is sufficient for one 96 well plate.
<b>Application Notes</b>	Additional reported applications (for the relevant formats) include: Western blotting, and ELISA.
<b>Application References</b>	1. Meissner TB, <i>et al.</i> 2010. <i>Proc Natl Acad Sci USA</i> . <a href="#">PubMed</a> 2. Rizvi SM, <i>et al.</i> 2011. <i>J. Immunol.</i> 186:2309. <a href="#">PubMed</a> 3. Meissner TB, <i>et al.</i> 2012. <i>J Immunol.</i> 188:4951. <a href="#">PubMed</a> .
<b>RRID</b>	AB_2617014 (BioLegend Cat. No. 280303)

### Antigen Details

---

<b>Structure</b>	Nonpolymorphic Ig like structure, noncovalently associated with heavy chain of MHC class I molecules, 12 kD
<b>Distribution</b>	Leukocytes, platelets, endothelial cells, epithelial cells
<b>Function</b>	Govern MHC class I molecule stability, promote MHC class I molecules binding and presenting peptide antigens to CD8 <sup>+</sup> T cells

<b>Ligand/Receptor</b>	CD3/TCR complex, CD8
<b>Cell Type</b>	Endothelial cells, Epithelial cells, Leukocytes, Platelets
<b>Biology Area</b>	Immunology
<b>Molecular Family</b>	MHC Antigens
<b>Antigen References</b>	<ol style="list-style-type: none"> <li>1. Engelhard VH. 1994. <i>Curr. Opin. Immunol.</i> 6:13.</li> <li>2. Williams DB, <i>et al.</i> 1989. <i>J. Immunol.</i> 142:2796.</li> <li>3. Danliczyk UG and TL. Delovitch. 1994. <i>J. Immunol.</i> 153:3533.</li> <li>4. Williams A, <i>et al.</i> 2002. <i>Tissue Antigens</i> 59:3.</li> </ol>
<b>Gene ID</b>	<a href="#">567</a>

## Related Protocols

---

[Active Protocols: Sandwich ELISA - Video](#)

## Other Formats

---

Purified anti-human  $\beta$ 2-microglobulin, FITC anti-human  $\beta$ 2-microglobulin, PE anti-human  $\beta$ 2-microglobulin, Biotin anti-human  $\beta$ 2-microglobulin, APC anti-human  $\beta$ 2-microglobulin, HRP anti-human  $\beta$ 2-microglobulin, PE/Cyanine7 anti-human  $\beta$ 2-microglobulin, APC/Fire™ 750 anti-human  $\beta$ 2-microglobulin, PerCP/Cyanine5.5 anti-human  $\beta$ 2-microglobulin, PE/Dazzle™ 594 anti-human  $\beta$ 2-microglobulin, TotalSeq™-A0057 anti-human  $\beta$ 2-microglobulin, TotalSeq™-C0057 anti-human  $\beta$ 2-microglobulin, TotalSeq™-B0057 anti-human  $\beta$ 2-microglobulin

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

\*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, [www.biolegend.com/ordering#license](http://www.biolegend.com/ordering#license)). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 [www.biolegend.com](http://www.biolegend.com)  
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587