

PerCP/Cyanine5.5 anti-human CD154 Antibody

Catalog# / Size	310833 / 25 tests 310834 / 100 tests
Clone	24-31
Regulatory Status	RUO
Other Names	CD40L, gp39, TRAP, T-BAM, TNFSF5
Isotype	Mouse IgG1, κ
Description	CD154 (CD40 ligand) is also known as CD40L, gp39, TRAP and T-BAM. CD40 ligand is a 32-39 kD type II transmembrane glycoprotein. It is a member of the TNF superfamily and is expressed on activated T cells. It has been reported to be important for B cell costimulation following binding of its receptor, CD40. Additionally, binding of CD40L to CD40 on B cells promotes the secretion of immunoglobulin and Ig isotype switching. CD40L is also involved in the regulation of cytokine production by T cells.

Product Details

Verified Reactivity	Human
Reported Reactivity	Cynomolgus, Rhesus
Antibody Type	Monoclonal
Host Species	Mouse
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and BSA (origin USA)
Preparation	The antibody was purified by affinity chromatography and conjugated with PerCP/Cyanine5.5 under optimal conditions.
Concentration	Lot-specific (to obtain lot-specific concentration, please enter the lot number in our Concentration and Expiration Lookup or Certificate of Analysis online tools.)
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. Do not freeze.
Application	FC - Quality tested
Recommended Usage	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis . For flow cytometric staining, the suggested use of this reagent is 5 µl per million cells in 100 µl staining volume or 5 µl per 100 µl of whole blood. * PerCP/Cyanine5.5 has a maximum absorption of 482 nm and a maximum emission of 690 nm.
Application Notes	Additional reported applications (for the relevant formats) include: immunofluorescence microscopy ^{1,3} and blocking of T cell-dependent B cell differentiation ^{1,2,4,5} . The LEAF™ purified antibody (Endotoxin <0.1 EU/µg, Azide-Free, 0.2 µm filtered) is recommended for functional assays (Cat. No. 310812). For highly sensitive assays, we recommend Ultra-LEAF™ purified antibody (Cat. No. 310828) with a lower endotoxin limit than standard LEAF™ purified antibodies (Endotoxin <0.01 EU/µg).
Additional Product Notes	BioLegend is in the process of converting the name PerCP/Cy5.5 to PerCP/Cyanine5.5. The dye molecule remains the same, so you should expect the same quality and performance from our PerCP/Cyanine5.5 products. Contact Technical Service if you have any questions.
Application References	<ol style="list-style-type: none"> 1. Brams P, <i>et al.</i> 2001. <i>Int. Immunopharmacol.</i> 1:277. (Block, IF) 2. Rushworth SA, <i>et al.</i> 2002. <i>Transplantation</i> 73:635. (Block) 3. Berner B, <i>et al.</i> 2000. <i>Ann. Rheum. Dis.</i> 59:190. (IF) 4. Nordström T, <i>et al.</i> 2006. <i>J. Leukocyte Biol.</i> 79:319. (Block) 5. Zhang AL, <i>et al.</i> 2007. <i>Blood</i> doi:10.1182/blood-2007-02-076364. (Block) PubMed 6. Kuchen S, <i>et al.</i> 2007. <i>J. Immunol.</i> 179:5886. 7. Matus-Nicodermos R, <i>et al.</i> 2011. <i>J. Immunol.</i> 186:2164. PubMed

RRID AB_2563114 (BioLegend Cat. No. 310833)
 AB_2563115 (BioLegend Cat. No. 310834)

Antigen Details

Structure	TNF superfamily, type II transmembrane glycoprotein, cleaved as soluble CD40L, 32-39 kD
Distribution	Activated T cells
Function	B cell costimulation
Ligand/Receptor	CD40
Cell Type	T cells, Tregs
Biology Area	Costimulatory Molecules, Immunology
Molecular Family	CD Molecules
Antigen References	1. Najafian N, et al. 2003. <i>Expert Opin. Biol. Ther.</i> 3:227. 2. Racke M, et al. 2002. <i>Expert Opin. Ther. Targets.</i> 6:275. 3. Ford G, et al. 1999. <i>J. Immunol.</i> 162:4037.
Gene ID	959


Related Protocols

[Cell Surface Flow Cytometry Staining Protocol](#)

Other Formats

Purified anti-human CD154, FITC anti-human CD154, PE anti-human CD154, PE/Cyanine5 anti-human CD154, APC anti-human CD154, Biotin anti-human CD154, Alexa Fluor® 488 anti-human CD154, Alexa Fluor® 647 anti-human CD154, Pacific Blue™ anti-human CD154, Brilliant Violet 785™ anti-human CD154, APC/Cyanine7 anti-human CD154, Brilliant Violet 421™ anti-human CD154, Brilliant Violet 605™ anti-human CD154, Ultra-LEAF™ Purified anti-human CD154, Brilliant Violet 510™ anti-human CD154, PE/Cyanine7 anti-human CD154, PerCP/Cyanine5.5 anti-human CD154, Brilliant Violet 711™ anti-human CD154, Purified anti-human CD154 (Maxpar® Ready), PE/Dazzle™ 594 anti-human CD154, TotalSeq™-A0032 anti-human CD154, Alexa Fluor® 700 anti-human CD154, APC/Fire™ 750 anti-human CD154, TotalSeq™-C0032 anti-human CD154, TotalSeq™-B0032 anti-human CD154, TotalSeq™-D0032 anti-human CD154

Product Data



PMA+ ionomycin-stimulated (6 hours) human peripheral blood lymphocytes were stained with CD154 (clone 24-31) PerCP/Cyanine5.5 (filled histogram) or mouse IgG1, κ PerCP/Cyanine5.5 isotype control (open histogram).

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all

applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587